

SETS OF PROPS

SOH	PART	DESCRIPTION	MODEL	ENGINE
1	31299	PROP 4BL C 87% 23X30 1_3/4IN. RH	4000	ENG CUM QSC490 490HP MG5075A 1.77:1 ENG VOL 75PEDC480HP MG5075A 1.77:1 ENGINE CUMMINS C480 1.77:1
			4200	ENG CUM QSC490 490HP MG5075A 1.77:1 ENG CUM QSCETS 490HP MG5075A 1.77:1
			40TC	ENG CUM QSC490 490HP MG5075A 1.77:1 ENG CUM QSCETS 490HP MG5075A 1.77:1 ENGINE CUMMINSC480 1.77:1
1	31300	PROP 4BL C 87% 23X30 1_3/4IN. LH	4000	ENG CUM QSC490 490HP MG5075A 1.77:1 ENG VOL 75PEDC 480HP MG5075A 1.77:1 ENGINE CUMMINS C480 1.77:1
			4200	ENG CUM QSC490 490HP MG5075A 1.77:1 ENG CUM QSCETS 490HP MG5075A 1.77:1
			40TC	ENG CUM QSC490 . 490HP MG5075A 1.77:1 ENG CUM QSCETS . 490HP MG5075A 1.77:1 ENGINE CUMMINS . C480 1.77:1
3	31369	PROP 23 X 31 1.75" 4BL C 87% RH.	4000	ENG CUM QSC490 . 490HP MG5075A 1.77:1 ENG VOL 75PEDC . 480HP MG5075A 1.77:1
			4200	ENG CUM QSCETS . 490HP MG5075A 1.77:1
			40TC	ENG CUM QSCETS . 490HP MG5075A 1.77:1
3	31370	PROP 23 X 31 1.75" 4BL C 87% LH.	4000	ENG CUM QSC490 . 490HP MG5075A 1.77:1 ENG VOL 75PEDC . 480HP MG5075A 1.77:1
			4200	ENG CUM QSCETS . 490HP MG5075A 1.77:1
			40TC	ENG CUM QSCETS . 490HP MG5075A 1.77:1
1	34047	PROP 23 X 23 1.75" 4BL C 87%	40TC	ENG CAT C7 . 460HP MG5061A 1.75:1
1	34048	PROP 23 X 23 1.75" 4BL C 87%	40TC	ENG CAT C7 . 460HP MG5061A 1.75:1
1	34259	PROP 4BL C 73% 18X23IN 1_1/2IN RH	3000	ENGINE VOLVO KAMD 300
3	34260	PROP 4BL C 73% 18X23IN 1_1/2IN LH	3000	ENGINE VOLVO KAMD 300
3	39008	PROP 28X37 2.25" 5BL C L/H 92%	47G2	ENG MTU S60 . 835HP MGX5114A 1.75:1
4	39009	PROP 28X37 2.25" 5BL C R/H	47G2	ENG MTU S60 . 835HP MGX5114A 1.75:1
5	39010	PROP 28X36 2.25" 5BL C L/H 92%	5100	ENG MTU S60 . 835HP MGX5114A 1.75:1
			47G2	ENG CAT 3406E . 800HP MGX5114A 1.75:1 ENG MTU S60 . 835HP MGX5114A 1.75:1
5	39011	PROP 28X36 2.25" 5BL C R/H 92%	5100	ENG MTU S60 . 835HP MGX5114A 1.75:1
			47G2	ENG CAT 3406E . 800HP MGX5114A 1.75:1 ENG MTU S60 . 835HP MGX5114A 1.75:1
4	39012	PROP 28 X 36 2.5" 5BL C L/H	5100	ENG CAT 3406E . 800HP MGX5114A 1.75:1 ENG CAT C15 . 865HP MGX5114A 1.75:1 ENG MTU S60 . 835HP MGX5114A 1.75:1
			47G2	ENG CAT C15 . 865HP MGX5114A 1.75:1
4	39013	PROP 28X36 2.5" 5BL C R/H	5100	ENG CAT 3406E . 800HP MGX5114A 1.75:1 ENG CAT C15 . 865HP MGX5114A 1.75:1 ENG MTU S60 . 835HP MGX5114A 1.75:1
			47G2	ENG CAT C15 . 865HP MGX5114A 1.75:1
1	39016	PROP 30X38 2.75" 5BL C L/H	5100	ENG CAT C18 . 1015HP MGX5135A 1.79:1 ENG MTU S8V . 1085HP MGX5114A 1.79:1
1	39017	PROP 30X38 2.75" 5BL C R/H	5100	ENG CAT C18 . 1015HP MGX5135A 1.79:1 ENG MTU S8V . 1085HP MGX5114A 1.79:1
2	39072	PROP 19 X 23.5 1.5" C SPINFX L/H	3300	ENG CUM QSB330 . 330HP ZF80A 1.57:1
4	39073	PROP 19 X 23.5 1.5" C SPINFX R/H	3300	ENG CUM QSB330 . 330HP ZF80A 1.57:1
2	39194	PROP 33X38.5 2.75IN 5BL LH	60FB	ENG MTU S8V . 1215HP MGX5135A 2.0:1
2	39195	PROP 33X38.5 2.75IN 5BL RH	60FB	ENG MTU S8V . 1215HP MGX5135A 2.0:1
3	39846	PROP 4BL C 20X21.5 1.5IN	3300	ENG CUM QSB330 . 330HP ZF80A 1.57:1 ENG CUM QSBETS . 330HP ZF80A 1.567:1 ENG VOL D6 . 310HP HS63AEA 2.04:1
			36SY	ENG CUM QSBETS . 330HP ZF80A 1.567:1 ENG VOL D6 . 310HP HS63AEA 2.04:1 ENG VOL D6 . 310HP HS63AEA 2.04:1

3	39847	PROP 4BL C 20X21.7 1.5IN	3300	ENG CUM QSB330 . 330HP ZF80A 1.57:1 ENG CUM QSBETS . 330HP ZF80A 1.567:1 ENG VOL D6 . 310HP HS63AEA 2.04:1
			36SY	ENG CUM QSBETS . 330HP ZF80A 1.567:1 ENG VOL D6 . 310HP HS63AEA 2.04:1
3	41202	PROP 5BL 33X40 X 3" 1H .STAR-C	56FB	ENG MTU S10V . 1380HP MGX5145A 1.96:1
1	41203	PROP 4BL 20X23 1.75IN 87% LH	3300	ENG CUM QSB ETS . 380HP ZF80A 1.567:1 ENG CUM QSBETS 380 . ZF80A 1.567:1
			36SY	ENG CUM QSB ETS . 350HP ZF80A 1:567:1 ENG CUM QSB ETS . 380HP ZF80A 1.567:1 ENG CUM QSBETS . 330HP ZF80A 1.567:1 ENG VOL D6 . 310HP HS63AEA 2.04:1 ENG VOL D6 . 370HP ZF80A 1.96:1
1	41204	PROP 4BL 20X23 1.75IN 87% RH	3300	ENG CUM QSB ETS . 380HP ZF80A 1.567:1
			36SY	ENG CUM QSB ETS . 350HP ZF80A 1:567:1 ENG CUM QSB ETS . 380HP ZF80A 1.567:1 ENG CUM QSBETS . 330HP ZF80A 1.567:1 ENG VOL D6 . 310HP HS63AEA 2.04:1 ENG VOL D6 . 370HP ZF80A 1.96:1
1	41208	PROP 5BL 33"X38" X2.75" 1H .STAR-C	56FB	ENG MTU S8V . 1215HP MGX5135A 2.0:1
			60FB	ENG MTU S8V . 1215HP MGX5135A 2.0:1
3	42442	PROP . 'C' 25" X 32" 4 BLADE 2" LH	47SY	ENG CAT C9 . 575HP ZF286A
4	42443	PROP . 'C' 25" X 32" 4 BLADE 2" RH	47SY	ENG CAT C9 . 575HP ZF286A
2	42783	PROP . 25"x30.5" 4 BLADE 2"SHAFT L/H	45FB	ENG CAT C9 . 575HP ZF286A
			47SY	ENG CAT C9 . 575HP ZF286A ENG CAT C9 . 575HP ZF286A
2	42784	PROP . 25"x30.5" 4 BLADE 2"SHAFT R/H	45FB	ENG CAT C9 . 575HP ZF286A
			47SY	ENG CAT C9 . 575HP ZF286A
2	42874	PROP . 25"x31" 5 BLADE 2.25" 105% R/H	41FB	ENGINE CUMMINS STDB QSC600HP 2.04:1 R41
2	42875	PROP . 25"x31" 5 BLADE 2.25" 105% L/H	41FB	ENGINE CUMMINS STDB QSC600HP 2.04:1 R41
1	43762	PROP 24 X 28 X 4BL 2" 87% L/H	41FB	ENGINE CUM . QSC500HP 1.72:1 MG5065A
1	43763	PROP 24 X 28 X 4BL 2" 87% R/H	41FB	ENGINE CUM . QSC500HP 1.72:1 MG5065A
1	45895	PROP . STAR-C 21X25 4BL 1.75IN 85%	38FB	ENG CUM QSB380 . 380HP MG5050A 1.8:1
1	45896	PROP . STAR-C 21X25 4BL 1.75IN 85%	38FB	ENG CUM QSB380 . 380HP MG5050A 1.8:1

SINGLE PROPS LH

SOH	PART	DESCRIPTION	MODEL	ENGINE
1	31618	PROP 5BL NC 105% 24X31 2IN. LH	3700	ENG CUM B370 . 370HP MG5050A 1.8:1 ENG CUM QSBETS . 330HP MG5050A 1.8:1
			4000	ENG CAT C7 . 460HP MG5061A 1.75:1
			4200	ENG CAT C9 . 575HP ZF286A ENG CUM QSC540 . 540HP MG5075A 1.77:1 ENG CUM QSCETS . 540HP MG5075A 1.77:1 ENG CUM QSM11 . 610HP MG5082A 1.51:1 ENGINE CUMMINS QSM11 635 HP 1.5:1
			4700	ENGINE CAT C12 700 HP C/W QUICKSHIFT ENGINE CATS C12 660HP 1.51:1 TDMG 5082A ENGINE CATS C12 700HP TDMG 5082A 1.53:1 ENGINE CUMMINS . QSM11 660HP 1.5:1
			40TC	ENG CUM QSC540 . 540HP MG5075A 1.77:1 ENGINE CATS C9 500HP 1.77:1 W/TROLL
			4000	ENGINE CUMMINS C450 1.75:1 CW E/CNTRL ENGINE CUMMINS . C480 1.77:1
2	32360	PROP 4BL C 87% 23X24 1_3/4IN. LH	40TC	ENG CAT C7 . 460HP MG5061A 1.75:1 ENGINE CAT 3126B 450HP 1.75:1 ENGINE CATS C9 500HP 1.77:1 W/TROLL
1	39196	PROP 34X41.5 3IN 5BL LH	5800	ENG MTU S10V . 1520HP MGX5147A 1.96:1
	60FB		ENG MTU S10V . 1520HP MGX5147A 1.96:1	
1	40980		47G2	ENG CAT C12 . 715HP MG5095A 1.81:1 ENG CUM QSM11 . 670HP MG5114A 1.75:1

SINGLE PROPS RH

SOH	PART	DESCRIPTION	MODEL	ENGINE
1	42046	PROP . 28"x35"x2.5" 5 BLADE 95% R/H	5100	ENG CAT C15 . 865HP MGX5114A 1.75:1 ENG MTU S60 . 835HP MGX5114A 1.75:1
			51G2	ENG MTU S60 . 835HP MGX5114A 1.75:1
			41FB	ENGINE CAT C7 . 460HP 1.75:1 R41
1	42873	PROP . 24"x25" 4 BLADE 1.75" 87% R/H	41FB	ENGINE CAT C7 . 460HP 1.75:1 R41